

FALSIFICATION OF THE THEORY

When a prediction based on a theory fails, the theory itself is falsified. The theory should then be discarded. It only takes one failed prediction to falsify a theory.

Science progresses by finding a new theory that better explains what is being observed. Before the new theory can be accepted it has to be tested. When its predictions turn out to be correct, the new theory is strengthened but never proved right.

Green scientists have made dozens of predictions based on their modified greenhouse gas theory that have failed. They pretend their theory has not been falsified and continue to make new predictions and, not surprisingly, they also fail.

Environmental scientists are disappointed with this behaviour and correctly claim that it undermines the good name of 'science'.

The following is a list of failed predictions. Some which are obvious and need little checking, while others need more work to verify the claim. While reading through this list, remember it only takes one failed prediction to falsify the theory.

FORTY YEARS OF FAILED PREDICTIONS

In the present global warming campaign, as a layman, we are faced with tens of thousands of scientists who support the campaign, and tens of thousands who strongly oppose it. How can a layman resolve this conflict?

First, this is clearly another Green Armageddon campaign. We are told that "the planet is doomed; life as we know it will end, our grandchildren will see lakes boil and forests self-combust". On our TV we are shown pictures from space of the Earth browning off and then bursting into flames or splitting into three pieces and drifting off into space. In Canberra's airport, the Greens' advertising shows a map of Australia with two thirds of the country covered in water. The silence of the supporting scientists in this campaign tacitly tells us that these are not exaggerations but are meant to be serious claims.

Professor Flannery tells us Sydney will be under sixty feet of water by 2050. In 2012, Professor Garnaut tells the Australian Government's cabinet members that, without action, the human species may be extinct by 2070. Eighteen months later, and not to be outdone, Professor Flannery declares humanity will be extinct by 2050. Then in Paris 2016 the UN's Green scientists trump both these claims by telling World leaders that we will all be gone by 2035. Children today might as well commit suicide as they have no prospects of a long life!

Yes, this is a serious Armageddon campaign.

After approaching these claims with initial scepticism, we may believe there is a far more powerful method of testing such predictions. Ignoring appeals to authority

and the status of those making the predictions, we should check the success or failure of these predictions.

We are now in the fourth decade of the global warming campaign, so there has been ample time to verify the short, medium and even some long term predictions made by the Greens and their supporting scientists. The following are just a small selection of such predictions:

Sea Level Predictions Actual sea level rises to date, may be somewhere between 1.4mm per year (Sceptic scientists) and 1.7mm per year (The Green IPCC position). In calculating the prediction errors, the higher IPCC figure has been used. The errors would be larger if the sceptical scientists' figure was used. These figures assume that the natural sea rises are included in their predictions.

1. IPCC First Report (1990-1992), Summary for Policy Makers, p.52. Sea levels will rise by one metre by the year 2100 (110 years-times). This is 9.1mm per year. **Error to date is 435%**
2. IPCC Second Report (1995), Summary for Policy Makers, p.23. Sea levels will rise by 95cm by the year 2100 (105 years-times). This is 9.0mm per year. **Error to date is 429%**
3. IPCC Third Report (2001), Summary for Policy Makers, p.32. Sea levels will rise by 88cm by the year 2100 (99 years-times). This is 8.9mm per year. **Error to date is 424%**
4. IPCC Fourth Report (2007), Summary for Policy Makers, p.7-8. Sea levels will rise by 59cm by the year 2100 (93 years-times). This is 6.3mm per year. **Error to date is 271%**
5. United Nations Environmental Program (UNEP) in 1988 predicted sea levels would rise two metres by the year 2100 (112 years-time). This is 17.9mm per year. **Error to date is 953%**
6. Al Gore and his NASA scientific advisor James Hansen predicted sea levels would rise six metres by 2050 in 1988, a metre each decade (62 years-time), with the Florida Keys being one metre under water by the year 2000. This is 96.8mm per year. **Error to date is 5,594%**
7. NSW Councils (e.g. Gosford, quoting the best international scientists including CSIRO and ANU) in 1995 was advising residents with water front properties that by 2010 (15 years-time) sea levels would rise by 6 metres. This is 400mm per year. **Error was 23,429%**
8. NSW Councils (e.g. Gosford, quoting the best international scientists including CSIRO and ANU) in 2011 revised their advice telling residents with water front properties that by 2100 (89 years-time) sea levels would rise by 90cm. This is 10.1mm per year. **Error to date is 494%%**
9. United Nations Environmental Program (UNEP) in 1995 predicted sea levels rises would result in 50 million climate refugees by the year 2010. No climate refugees by that year. **Very large Error**

10. United Nations Environmental Program (UNEP) in 2011 *re-predicted* sea levels rises would result in 50 million climate refugees by the year 2020. This is likely to be another - **Very large Error**
11. For the last twenty years the Greens and their scientists have been telling us the islands of the Tuvalu and Maldives were sinking into the ocean. In 2011 aerial photographs taken 60 years apart show the land area of all Tuvalu islands have grown by 5-30%. No discernible change in the Maldives. **Very large Error**
12. In 2005, Professor Flannery, a climate advisor to the Australian Government, predicted Sydney would be covered by 20 metres of water by the year 2050 (45 years-times). This is 444mm per year. **Error to date is 26,018%**

Temperature Predictions. The Greens tell us that the actual temperature rise in the between 1900-2018 was 0.7⁰C, or 0.006⁰C per annum. Sceptical scientists believe the rise is closer to 0.4⁰C. The Greens' figure is used to calculate the prediction errors. The errors would be larger if the sceptical scientists' figure was used.

13. IPCC First Report (1990-1992), Summary for Policy Makers, p.52. Temperatures will rise by 8.0⁰C by the year 2100 (108 years-times). This is 0.074⁰C per year. **Error to date is 1,133%**
14. IPCC Second Report (1995), Summary for Policy Makers, p.23. Temperatures will rise by 3.5⁰C by the year 2100 (105 years-times). This is 0.033⁰C per year. **Error to date is 450%**
15. IPCC Third Report (2001), Summary for Policy Makers, p.32. Temperatures will rise by 5.8⁰C by the year 2100 (99 years-times). This is 0.059⁰C per year. **Error to date is 883%**
16. IPCC Fourth Report (2007), Summary for Policy Makers, p.7-8. Temperatures will rise by 3.8⁰C by the year 2100 (93 years-times). This is 0.041⁰C per year. **Error to date is 583%**
17. United Nations Environmental Program (UNEP) in 1988 predicted temperatures would rise by 10.0⁰C by the year 2100 (112 years-times). This is 0.089⁰C per year. **Error to date is 1,383%**
18. Climate Change Research Centre, University of New South Wales, Sydney, in 2009, is carrying out research assuming that temperatures will rise by 12⁰C by the year 2100 (91 years-times). This is 0.132⁰C per year. **Error to date is 2,100%**
19. NASA's Dr James Hansen, before the US Senate in 1986 predicted global temperatures would rise by up to one degree between 1990 and 2000, and a further 4 degrees by 2010 (20 years-times). **Error at 2010 was 4,067%**

With such a poor performance record – 19 failed predictions - the scientific hypothesis that underlies the whole global warming campaign should be seriously questioned. As Winston Churchill once said, "*However beautiful the strategy, you should occasionally look at the results.*"

Keep on reminding yourself it only takes **one** failed prediction to falsify a theory.

OTHER FAILED PREDICTIONS

“Before claiming something is abnormal, one should accurately identify what is ‘normal’.”

Three to Five Degrees By 2000

Over 40 years ago, the Green scientists' task was to show that the natural multi-decade warming period from 1970-2000 was going to be significantly different from the previous natural multi-decade warming periods. Based on their theory, they predicted that the temperature rise in this period would be 3-5 degrees rather than the natural warming of 0.3°C seen in the past.

In year 2000, the temperature had only risen by 0.3°C not by 3-5 degrees. Their prediction that humans would be half way to “frying and dying” was incorrect, and the temperature rise was the same as the natural temperature rises of previous multi-decade warming periods.

Another failed prediction

Never Stop Warming

So confident in their theory, the Green scientists predicted that while CO₂ concentrations in the atmosphere continued to rise, global warming would not stop at the end of the multi-decade warming period.

CO₂ concentrations in the atmosphere continued to rise, but temperatures stopped rising. All six independent Green organisations advising the UN's IPCC on global temperatures agreed that warming had stopped

Depending on what organisation and what data base was being used, as of 31st December 2019, this 'hiatus' in warming has lasted 24-30 years. The next natural multi-decade warming period is expected to start within 5-10 years. The resumption of warming should not be suspected to be man-made unless there is a significant difference from all proceeding natural multi-decade warming periods.

Another failed prediction

Canary in the Coal Mine

Based on their theory, Green scientists predicted that the arctic regions would see temperature rises 3-5 times larger than the average global temperatures rises. This would mean that the predicted temperature rise in the arctic regions by 2000 would be between 9-25 degrees. Even using the natural rise of 0.3°C, temperatures in the Arctic regions would rise by 0.9-1.5°C.

They described that these regions would be “the canary in the coal mine” for the impending disaster caused by man-made global warming.

The Antarctic region has now been cooling for more than sixty years. The Arctic region has seen some cooling, some warming and many areas remaining unchanged. There has been no accelerated warming in the Arctic region.

Another failed prediction.

Southern Hemisphere Hotter

This prediction was based on the science supporting the previous Green campaign. In the 1960-70s, the Greens told us that industrial pollution was cooling the planet at such a rate that the World would enter an Ice Age by the year 2000. This campaign was helped by being run in a natural multi-decade cooling period.

As soon as the natural cooling period turned into a natural warming period, the Greens dropped the cooling campaign and started their catastrophic man-made global warming campaign. Still believing in the discredited science of significant cooling caused by industrial pollution, the Greens predicted that the Southern Hemisphere would warm faster than the Northern Hemisphere which had more industrial pollution.

All six independent Green organisations providing global temperature information to the IPCC, showed precisely the opposite was occurring. The Northern Hemisphere was warming faster than the Southern Hemisphere.

Another failed prediction.

Hot Spot

As you rise up through the first 36,000 feet of the atmosphere, the temperature drops by approximately 2°C every thousand feet (305 metres). This decline in temperature is known as the adiabatic lapse rate. By the time you reach 36,000 feet the temperature can be as cold as minus 56°C.

The Green scientists predicted that man-made global warming would disrupt this steady reduction in temperature and a large “hotspot” would form in the middle of this part of the atmosphere. In the early 1980s, it was expected to find this “hot spot” well established over the equator and then it would spread towards both Polar regions.

Tens of millions of taxpayers’ dollars have been spent trying to find this hot spot. Even after forty years, it has not been found. This is another example of the Greens underestimating the resilience of this planet to change – let alone the very small changes caused by Man.

Another failed prediction.

SEA LEVEL RISES

Before discussing sea level rises some background information is needed.

There is a finite amount of water on this planet. Two thirds of the surface of the planet is covered in water. Many people cannot grasp how large this body of water is, and how much extra water it takes to raise the sea level by a metre.

Using the simplified concept of the water cycle, water evaporates off the oceans forms a cloud and then rains down on the land. On the land, it flows into a river which eventually delivers the water back to the oceans.

If precipitation falls as snow in a very cold area like Greenland (average temperature -15°C) or Antarctica (average temperature -35°C) this water does not go back into the sea and as this land locked ice builds, sea levels will fall. If such land locked ice falls in a 'river valley' it will eventually slide down the valley into the ocean. Glaciers are slow motion ice rivers and mimic a normal river in the water cycle.

To determine whether an event will affect sea levels, both sides of the coin needs to be studied. For example, if ice is leaving Greenland you also have to consider the water arriving on Greenland – that is the precipitation that falls on Greenland. The focus of such studies should be on the net flow of water, not just one side of the coin. At present, both Greenland and Antarctica which hold 99% of land locked ice of the planet have negative flows – which is not surprising considering their average temperatures.

Because there was so much land locked ice at the end of the glacial period 14,000 years ago, sea levels were 122 metres (400 feet) below that of today. On the US/Canada border the height of the ice was over 1,500 metres (5,000 feet). As this ice melted in the first 5,000 years of the present interglacial period, comparatively rapid sea level rises measured in metres occurred. For the past 6,000 years, average sea level rises of only 2-5mm per year have been seen.

There is not enough land locked ice left in temperate climate areas to ever cause sea level rises measured in metres during the remaining few years of the present interglacial period.

Melting Antarctic and Arctic Floating Ice

We were told by Green scientists that global warming would melt both the Arctic and Antarctic floating ice which in turn would cause 'catastrophic' sea level rises.

This was nonsense from day one as it defied the laws of buoyancy. When floating ice melts, it has no effect on the water level in which it floats. Anyone who critically thought about this prediction would have identified this error.

This floating ice forms in winter when there is no sun and then gradually melts in summer when the sun returns. The extent of Arctic ice melt each year varies by 40-70%. If there was any validity to this assertion, we would see 40-70% catastrophic sea level rises **and falls** every year. Sea levels would be going up and down like a yo-yo.

Another failed prediction.

NSW Six Metres Sea Level Rise

In 1995, jumping on the bandwagon of catastrophic sea level rises, scientists from the CSIRO, ANU and the University of NSW convinced both Federal and State governments that the east coast of Australia would see six metre sea level rises by the year 2010.

Local councils identified all land likely to be inundated and advised the owners. Good move you might say – but only good if it was a good prediction. It wasn't, and the value of such land and houses were reduced by several hundred thousand of dollars.

By 2010, in practical terms, no sea level rises could be detected. If they were there, they might be measured in single digit millimetres, not centimetres, nor metres let alone six metres.

Another failed prediction.

Florida Keys Under Water

Not quite in tune with the Australian scientists, Dr James Hansen, a NASA scientist and scientific advisor to Al Gore while making the film "An Inconvenient Truth", tells the World sea levels will rise one metre a decade from 1990, with a six-metre rise seen by the year 2050.

To emphasis his point, he predicts the Florida Keys will be under one metre of water by the year 2000 and an extra metre after every following decade. I visited the Florida Keys in 2005 to fish, expecting my breakfast to be served floating above the table in my motel. Local fisherman emphatically told me that there had been no sea level rises.

When journalists pointed out this reality to Dr Hansen, he revised his predicted rises to a half a metre each decade. The journalists smiled as they reported this. Even after this revision, my breakfast would have seen me waist high in water. I still cannot remember getting wet. Who would believe this scientist? We are told, everyone!

Another failed prediction.

Low Lying Islands

Because all the oceans are connected, people seem to forget that any island anywhere in the World that has a sea level rise measured in metres, will mean a very similar rise will be seen all over the World.

Early in this campaign, it was asserted that the Maldives and the Tuvalu group of islands were sinking under metres of sea level rise. However, none of the countries surrounding the Indian and Pacific Ocean saw any such sea level rises. If any rises did occur, they were measured in single digit millimetres not metres.

An environmental scientist who had been measuring sea level rises around the Maldives all his life, showed concerned locals there had been no rises. He

pointed out that a tree growing at the high tide mark for more than sixty years would have died if sea levels had risen and covered the base of the tree with salt water.

Later, when the locals mocked visiting Australian Green scientists who were telling them that catastrophic sea level rises were already occurring, they received a childish response. The locals pointed out the tree which disproved their alarming tale. So, later that night, these wonderful Australian scientists came back to the beach and cut the tree down.

In a similar unprofessional display, Green scientists from Flinders University held a press conference and stated that they were going to the Tuvalu islands with the explicit aim of proving that catastrophic sea level rises were occurring there.

After looking at historical tide movements and monitoring tide measurements for a decade, they could not find any sea level rises. Not convinced they blamed the old equipment and, at a significant expense for Australian taxpayers, they bought brand new equipment to measure sea level rises. Still no sea level rises.

Then in 2005 two things happened to stop their study. The islands rose out of the ocean – that is, a sea level fall was measured. However, more importantly, World War Two aerial photographs of the islands were compared with 2005 photographs. The comparison showed that the area of all islands had grown by 5-30% in that sixty year period.

The Greens stopped talking about these two island groups, but continued to point out other islands that they claimed were sinking under “massive” sea level rises. As usual, none of the surrounding countries, or other islands, experienced such rises.

Another failed prediction.

Fifty Million Climate Refugees

In 1995, the UN's Environment Programme (UNEP) predicted that by the year 2010 rising sea levels would result in the World seeing 50 million “Climate Refugees” needing relocation. This prediction was displayed on their website for this whole period.

After 2010, with zero climate refugees, UNEP tried to quietly remove this prediction without admitting they were wrong.

Another failed prediction.

Unfortunately for UNEP, sceptical observers mocked them for both the failed prediction and their lack of willingness to admit they were wrong and then hide this from the public. UNEP's reaction could only be described as an angry ‘hissy fit’.

They immediately modified their prediction claiming that there would now be 50 million climate refugees by the year 2020. They then said spitefully that their prediction would be met as they had changed their definition of a ‘climate refugee’

In future, any refugee would be considered to be a 'climate refugee' unless someone could prove otherwise. Smugly they stated no-one in UNEP would have this task.

This is another example of the Greens misleading people by 'definition deceit'. In future, anyone hearing the term 'climate refugee' should be aware that these are most probably normal refugees not affected by rising sea levels.

We are two years away from the 2020 deadline, and there has still been no sea level rises that could have produced climate refugees.

This is likely to be another failed prediction.

POT-POURRI PREDICTIONS

Storms Increasing

The number and ferocity of natural storms are never static – they change in a cyclic fashion. In the past few decades, and through happenstance, the number and severity of natural storms have been decreasing.

This has been unfortunate for the Green campaign as, at the same time, they have been trying to show us that the number and ferocity of storms are increasing, and it is all the fault of Man. And what's more it can only get worse.

This prediction was always going to fail – there is not enough additional energy to make it come true.

The natural warming from 1900 to 2018 has only added less than one quarter of one percent increase in energy to create more storms. Even if some of the most alarming temperature increases predicted by the Greens happened, most would not be able to detect the difference caused by such a small percentage increase in energy.

Once again, such small changes couldn't be described as catastrophic.

Another failed prediction.

Polar Bears Gone by 2020

At the beginning of this campaign, the polar bear became the 'poster child' for the Green campaign. Apparently, polar bears were to become 'ice challenged'.

An unusual additional claim, to increase our guilt about polar bears, was the assertion that global warming was already causing them sterility problems. So much so that all would become sterile, and none would be left by the year 2020.

The US Environmental Protection Agency supported this assertion by declaring the polar bear an endangered species.

In the real World, polar bear numbers are still increasing, there are no sterility problems, and the health of the bears have been improving. Ironically, the areas

where some bears are having problems are the coldest areas not the warmest areas. Since the 1950s, when hunting of bears was stopped for all but the Innuits, the bears have been doing well.

With two years to go before the 2020 prediction date, it is safe to say this will be another failed prediction.

UK Never to See Snow Again

Early in the 2000s, Dr Phil Jones, the Head of the UK's Climate Research Unit (CRU), predicted that global warming would mean that there would be no more snow seen in the UK. In the past, snow had been regularly seen in parts of the UK, but rarely was the whole country covered in snow.

Within eight years of Jones' prediction, not only was snow seen every winter but the whole of the UK was covered in snow three times.

Another failed prediction.

The Dams Will Never Fill Up

To engender a climate of fear, Green scientists tell those who fear drought that global warming will increase the number and severity of droughts. In contrast, the same scientists are telling those who fear floods that the number and severity of floods will increase.

Conceptually, any increase in global temperatures will increase evaporation leading to more rain. So, some could say there are grounds for claims of more floods. However, there are no grounds for claiming increased number of droughts.

Practically, neither additional floods nor droughts will occur. The increases in global temperatures are so small that the additional energy will not be able to cause anything that the average citizens could detect.

For example, the natural increase in energy between 1900 to 2018 is less than a quarter of one percent. Under perfect conditions, this might be able to increase the average rainfall in Canberra from 600mm to 601.5mm. Or increase the wind speed of a cyclone in Queensland from 400kph to 401kph. It is hard to describe these changes as catastrophic.

Undeterred by such common sense, in the middle of Australia's drought, Professor Flannery advised the Australian Government that "*It would never rain again, and even if it did it would be light rain and the parched soil would soak it up preventing any run-off to feed the dams.*" Based on the theory, Flannery went on to say, "*The dams would be empty and would never fill again*".

The drought broke, the dams filled up and there were floods.

Another failed prediction.

To add salt to the wound this alarming prediction was to cost the taxpayers dearly.

On Flannery's wonderful advice, the Government spent billions of dollars building desalination plants, coming 'on stream' just as the drought broke. Since then, the desalination plants lay idle costing the taxpayers hundreds of millions of dollars each year just to maintain the plants that were not being used.

WE ARE ALL GOING TO DIE

When natural catastrophes don't scare the citizens enough, you can always tell them that everyone is going to die!

Permafrost Melts

At the start of the global warming campaign a self-described "leading international scientist" predicted that global warming would cause the permafrost to melt releasing billions of tons of methane into the atmosphere. This Canadian scientist then predicted that this would cause "run-away global warming" which in turn would kill four billion people by the year 2000.

The year 2000 has come and gone. Four billion people did not die, the permafrost did not melt and the fabled 'run-away global warming' has not occurred.

Another failed prediction.

A Thousand Breeding Pairs

In the early 1980s, Dr James Lovelock predicted that, by the year 2000, the human race would, in effect, be gone. He claimed that there would only be a "*....few thousand breeding pairs eking out an existence in the Arctic regions*".

Since that prediction was made, the World's population has grown from approximately 4 to 7.5 billion people.

Another failed prediction.

Dr Lovelock gained notoriety by providing the Green movement with a God, - Gaia the Goddess of Earth - and writing alarmist books and articles about man-made global warming. As such, he was affectionally known as the "Grandfather of Global Warming" within the Green movement. He was also made a Companion of Honour to the Queen.

Facing the reality of all his failed predictions, Lovelock recently publicly admitted that he was wrong and called on all Greens to stop promoting alarmist stories – like his own. He in effect said

"We do not know what the climate is doing, we thought we understood it, but we don't. If our theory was right, we should be half way to "frying and dying" by now, but it is just not happening. Obviously, our theory is wrong"

This has Lovelock looking at the woeful performance of global warming predictions and drawing the logical conclusion that for the predictions to be so poor, then the theory must be seriously flawed. A view that should be held by all scientists as this theory is repeatedly falsified.

The Green movement harshly reacted to this admission and in effect 'ex communicated' him. They then started a campaign to systematically denigrate him and his ideas and destroy his reputation.

Lovelock responded to this campaign by saying that unlike other scientists in the global warming industry who depended on research funds, promotion or indeed their job, he could look at reality and admit that he was wrong.

Gone by 2070

In mid-2012, Professor Garnaut briefed Cabinet Ministers that man-made catastrophic global warming would cause human extinction by 2070. No-one laughed.

He did not explain how this would occur.

Another failed prediction?

Gone by 2050

Not to be outdone by Professor Garnaut, in his penultimate Climate Commission Report to the Government eighteen months later, Professor Flannery predicted the human race would be extinct by 2050.

He also did not explain how this would occur.

Another failed prediction?

Half a Degree Killer - Gone by 2035

In Paris 2016, the UNEP's gathering of 40,000 Green scientists, followers and luminaries, told the World's leaders that an average global temperature rise of 0.5°C could not be tolerated by humans. Since such a rise was expected by 2035, they predicted the extinction of the human race would occur by 2035.

Hang on a minute could we lay down, chill out, and think about this for a little while.

Let us look at a healthy young Tasmanian from Hobart while he takes a trip from Hobart to Melbourne to the Gold Coast and then to Bali. On each leg of this journey he will experience an average temperature rise of more than two degrees – well above the 0.5°C figure.

Do we really believe that on arriving in Melbourne to take up a job he is going to die? When he follows other Melburnians to the Gold Coast to avoid the miserable Victorian winter, is he going to die with all his fellow travellers? Then when he takes a holiday in Bali, he dies again? I cannot believe Bali is such a popular destination for Australians who are going to die on arrival.

Another failed prediction?

CONCLUSION

Remember, it only takes one failed prediction to falsify a theory. How many times has the Greens' modified greenhouse gas theory been falsified?

In the past seventy years, the Green movement have produced a new Armageddon story every decade – each of which have failed to occur. One would think that a rational society would learn from their past mistakes and not believe such alarming stories.

After seeing prediction after prediction fail in the past forty years of the man-made catastrophic global warming story, many still believe that the World is coming to an end.

What is wrong with us? Why do we ignore reality? Why do we refuse to listen to environmental scientists with a different view?

NB. The next twenty pages lists web links for many more failed predictions. For several reasons, I have not checked them out myself. There may also be predictions I have already discussed.

Since it only takes one failed prediction to falsify a theory, I have little interest in wasting my time checking more failed predictions. Once you realise the theory has been falsified, you know it will be unsurprising to find other failed predictions - all based on the falsified theory.

Empirical Data Vs. Predictions

Much research and many peer reviewed studies are represented in the headlines below. In almost every case, it has been found that "expert" and/or computer model predictions are contradicted by the actual empirical evidence.

[Increase In Severe Tropical Cyclones Does Not Materialize Per Predictions](#)

[Predicted Increase In Wildfires From Global Warming Did Not Happen](#)

[IPCC Model Temperature Predictions Confirmed To Be Wrong](#)

[The Numerous Predictions That Govt Sponsored "Green" Projects Will Succeed...Have Massively Failed](#)

[New Study Confirms Himalayan Glaciers Expanding - Opposite of IPCC Climate Model Predictions](#)

[Global Cooling Since 1997 - The IPCC Global Warming Prediction Due To CO2 Emissions Was Wrong, Spectacularly](#)

[Climate Doomsday-Religion Fanatics Predict Severe Winter Storms For U.S. East Coast - Oooops...Empirical Evidence Refutes That Prediction](#)

[Why Have Climate Model Predictions Of Global Temperatures Been So Terrible?](#)

[Another Study Pours Water On Predicted Heavy Precipitation Events Due To Climate Change](#)

[IPCC Predicted That Global Temps Would Rapidly Increase Due To Climate's High Sensitivity To CO2 - Evidence Counters That Prediction](#)

[Prediction That Melting Greenland Will Soon Flood NYC Is Without Merit](#)
[Ocean Acidification Will Destroy The Oceans' Plankton - Another Doomsday Prediction Proven Wrong](#)

[IPCC Climate Models Predicted Increase In Severe Weather Events - Not Happening](#)

[Predicted Higher Ocean Levels Has Not Happened For Islands In The Middle Of The Indian Ocean](#)

[Newest Climate Models To Be Used For IPCC 2013 Report Can't Predict GlobalTemperatures - Same Old, Same Old](#)

[Rapidly Rising Sea Level Predictions All Wet](#)

[NASA / IPCC Climate Models: Latest Global Temperature Data Confirm Computer Simulations Lack Of Predictive Skill](#)

[IPCC's Model Prediction Of Extreme Precipitation Events Found To Be Wrong](#)

[Why Climate Models Are Terrible At Predictions](#)

[For 27 Years NASA's Climate Model Warming Predictions Wrong - Odds Are 1 In 134 Million of Being This Wrong For So Long](#)

[European severe weather lowest in 100 years, contrary to IPCC predictions](#)

[Peak Oil Prediction: Another Miserable Failure By The Consensus Experts](#)

[Severe Weather Increase Prediction Due To CO2 Emissions Proven To Be Severely Bogus](#)

[Severe Hurricane Incidents At Record Low, Opposite of IPCC Predictions](#)

[Global Sea Level Rise Not Expected To Exceed 7 Inches By 2100 AD-Contrary To Predictions](#)

[New Study Finds EPA & IPCC Climate Model Predictions Wrong About More Droughts For Southwest USA](#)

[Global Warming Predicted Hotspot Over Tropics Is Non-Existent Latest Data Confirm](#)

[Predicted Coastal Swamping Wrong: Melting Glaciers Have Tiny Impact On Sea Levels - Maybe 3.7 Inches By 2100](#)

[NZ Scientists Confirm Sea Level Rise Is Modest - 7 Inches By 2100, Not Feet As Predicted](#)
[EU Scientists Discover That Modern Severe Weather Events Are Happening Less, Not More As Predicted](#)

[Climate Model Failure By NASA - Huge Global Warming Prediction Errors Confirmed](#)

[NASA's "Boiling Oceans" Prediction Not Supported By Any Climate Data - Is James Hansen Crazy?](#)

[Health Research Determines Global Warming Does Not Cause Illnesses As Predicted](#)

[Climate Models Unable To Replicate/Predict Actual AMO Variability In Greenland](#)

[Agriculture Research Debunks IPCC Prediction/Myth That Global Warming & CO2 Harm Crops](#)

[EU Scientists Confirm Sea Level Rise Not Unusual - IPCC Prediction Wrong](#)

[Scientists Find Himalaya Severe Rainfall Evidence 'Baffling' - Not According To Their Predictions](#)

[IPCC Models Unable Predict The Major 'Siberian High' Climatic Condition](#)

[Prediction Failure by IPCC's Newest Climate Models - 'Still Worthless After All These Years'](#)

[Is Global Warming Happening? IPCC Climate Models Predicted Huge Warming But Reality Happened Instead](#)

[Ocean Acidification Fears/Predictions Debunked: Cold Water Coral Proven To Acclimate & Prosper In Lower pH Environment](#)

[Computer Models' Forecast of U.S. Winter Blows It Big Time - More Proof of Worthless Model Predictions](#)

[New Research Debunks "Accelerating" Sea Level Rise Predictions](#)

[New HadCRUT4 Temperature Dataset Confirms IPCC Climate Models Produce Worthless Predictions](#)

[The Global Warming Permafrost Tipping Point: Scientists Discover Permafrost Thawing Not Happening As Predicted](#)

[Climate Scientists Confirm That Actual Atmospheric Water Vapor Levels Invalidate Global Warming 'Tipping Point' Hypothesis - Prediction Failure](#)

[New Satellite Information Refutes Major IPCC Climate Prediction: AGW Scientists & Mainstream Press 'Stunned'](#)

[IPCC's Climate Models' Positive Feedback Assumption Proven To Be Incorrect, Per The Actual Empirical Evidence vs. Predicted Outcome](#)

[Alarmist AGW Snowfall Prediction Wrong: Research Reveals Snowfall Not Impacted By Global Warming](#)

[Unequivocal & Irrefutable Empirical Research: No Increase In Hurricane Landfall - IPCC's AGW Prediction Fails Test](#)

[Predicted Increase In Severe Windstorms From Global Warming Has Not Happened, New Research Shows](#)

[New Study: Predicted CO2 Emissions From Warming of Peat Regions Is Wrong - From Positive To Negative Feedback](#)

[Climate Model Believer Kevin Trenberth: New Research Proves His Precipitation Predictions Robustly Bad](#)

[The Massive NASA & IPCC Embarrassment: Hansen's Abysmal Global Warming Model Predictions](#)

[Can Climate Models Predict Snowfall? EU Researchers Ascertain Models Are Worthless For Snowfall](#)

[Ocean Heat Content: Climate Models Continue To Fail Miserably At Predicting OHC](#)

[Reality vs. Predictions: EU Research Indicates A Tiny 2.7 Inch Sea Level Rise By 2100 & NOAA Has Ocean Temps Declining](#)

[New Jet Propulsion Lab Analysis of Global Climate Model: Simulations \(Predictions\) of Arctic Ice Are 'Rather Poor'](#)

[IPCC "Climate Science" Fail Is Major Embarrassment To Establishment Science: IPCC Can't Predict Squat](#)

[Antarctica: IPCC Proven Conclusively Wrong By Newest Research - South Pole Cooling, Not Warming As Predicted](#)
[Scientists Predicted Australia Would Become The 'Drought' Continent: They Were Wrong](#)

[IPCC's Terrible Predictions Kill: Unable To Predict Accurately, IPCC Climate Models Ultimately Cause Deaths](#)

[Scientists Confirm Sea Level Rise Is Well Below Hysterical Predictions of IPCC](#)

[Opposite of Predicted: Human CO2 Emissions Have Caused Earth To Cool Over Past 15 Years](#)

[The Embarrassing & Total Collapse of The IPCC's Antarctica Alarmist "Science" Predictions](#)

[Major UN IPCC Prediction Failure: Global Warming Does Not Cause Spread of Malaria](#)

[Another Scary IPCC Climate Change Prediction Wrong - Scientists Say Methane Gas Fear Overblown](#)

[The Utter Failure of IPCC Climate Model's Prediction of Ocean Global Warming Is Documented](#)

[Kyoto CO2 Emissions Prediction Huge Failure](#)

[New "Consensus" Prediction: U.S. Climate Scientists Now Say Global Warming Will Cause Fewer Hurricanes To Strike America](#)

[IPCC's Prediction That CO2 Will Cause High Temperatures Found Wildly Wrong, Scientists Confirm](#)

[Crunching The "Global Warming" Numbers: Climate Models Horrendous At Predictions, Both Future & Past](#)

[New Tropical Cyclone Research From China Reveals Major IPCC Prediction Fail](#)

[Another Day, Another Study, Another Failed IPCC Prediction: Modern Global Warming Has Not Caused Increase of Severe Floods](#)

[IPCC Climate Physicist Verifies Climate Model Predictions Are Worthless For Periods Longer Than A Decade](#)

["Notorious" Bias Affects IPCC Climate Models - Unable To Successfully Predict Abrupt Climate Changes](#)

[Severe Cyclones Striking Australia Declines By 60% - Exact Opposite of IPCC Climate Model Predictions](#)

[Another Stupendous IPCC Prediction Failure: Global Warming Will Cause Crop Failure & Starvation](#)

[EU Research Projects Less Than 3 Inch Increase of Sea Levels By 2100 - Coastal Areas Not In Jeopardy](#)

[World's Best Scientific Research Determines Zero Connection Between Global Warming and Hurricanes & Cyclones](#)

[IPCC Models Spectacularly Fail Reality Test - Key Predicted Components 'Exaggerated' & 'Overestimated'](#)

[Finland Researchers Prove That Malaria Incidence Declined During Modern Global Warming - Predicted Increase Wrong](#)

[Australian Study Proves Major IPCC Failure: Climate Models Predicted An Increase In Severe Weather - Didn't Happen](#)

[Satellite Measurements Confirm Global Warming Not The Cause of Modern Greenland Ice Loss As Predicted](#)

[Predicted Hurricanes & Tropical Storms: Newest Research Finds Cyclonic Events Unrelated To Warmer Temperatures](#)

[Lack of Ocean Heat Affirms Massive Failure By IPCC Climate Models, Latest NOAA Data Shows](#)

[Major IPCC Climate Model Prediction Error Substantiated: Ocean Warming Not Happening, It's Cooling](#)

[Failure of NASA's CO2-Based Climate Model Continues: Predicted Warming Significantly Below Actual](#)

[Latest EU Research Confirms That Predicted Increase In Storminess From Global Warming Has Not Occurred](#)

[Global Warming Has Not Caused Predicted Marine Life Apocalypse, Instead Marine Life Enhanced Says New Study](#)

[Hurricane Irene? Based On The Hype & "Expert" Predictions, This Hurricane Is Not Living Up To Its Billing](#)

[Africa's Mosquito Population Declining, Malaria Cases Falling - Opposite of IPCC's "Experts" Prediction](#)

[Massive Climate Model Failure: IPCC Models Unable To Predict Pacific Ocean Variability With Any Confidence](#)

[Researchers & Ancient Clams Prove That 'Permanent' El Niño Prediction Is Wrong](#)

[New Research Determines That "Expert Consensus" About The Warming of Bering Sea Was Wrong](#)

[Latest EU Satellite Sea Level Data Confirms Very Slight Increase: By 2100 Seas Will Rise By Only 3.4 Inches](#)

[NASA Climate "Scientists" Called Out For Their Incredibly Bad Super El Niño Predictions](#)

[Severe Weather In The Far East & Pacific Regions Has Declined Over The Last 50 Years, Scientists Confirm](#)

[CAGW On Ropes: Robust Confirmation That Climate Sensitivity Is Significantly Lower Than IPCC Guesstimates](#)

[Researchers Determine Climate Model Prediction Wrong: Human CO2 Does Not Enhance El Niños](#)

[Scientists Confirm That "Settled" Science Prediction About A Greenhouse Gas Proves To Be Robustly Wrong](#)

[Major "Consensus" Prediction Fail: An African Eco-Climate Changes For The Better Due To Global Warming](#)

[Objective Analysis of Ocean Warming Determines IPCC Climate Models' Prediction 2x Too High](#)

[More Global Evidence That Global Cooling Is Trumping Global Warming: New Zealand & The U.S.](#)

[Experts Say Dangers To Reefs Have Been Overhyped By Greens - Coral Reefs Will Not Die Off As Predicted](#)

[Prediction That Global Warming Causes More Storms Fails Empirical Testing - IPCC Climate Models Wrong](#)

[Peer-Reviewed Study Determines Climate Models Wrong: U.S. Flooding Has Not Increased As Predicted](#)

[Central Europe Temperatures In Free Fall: Multi-Year Cooling Trend Reveals Warming Farce Is Global](#)

[Scientists Discover That Global Warming Enhances Marine Life & Diversity, Opposite of IPCC Prediction](#)

[Central Siberian Forest Fires Have Declined During The Modern Global Warming Era Say Experts](#)

[NASA Research Reveals Antarctica Ice Sheet Melt Just A Fraction of Climate Model Predictions](#)

[New Research: Experts Determine German Flooding Has Not Increased From Global Warming As Predicted](#)

[Latest Expert Study Finds Rocky Mountains Unaffected By Climate Change Over Last 50+ Years](#)

[Last Week Had The Global Warming Alarmists Admit To Zero Warming Since 1998, Now An Admission That Models Don't Work](#)

[NOAA Temperature Data Rebuts IPCC's Climate Model Predictions of Global Warming](#)

[Since 1990, IPCC's Climate Predictions Have Been Wrong - Billions Wasted On Worthless Fortunetelling](#)

[A Spectacular Failure: Latest HadCrut & NASA Temperatures Significantly Below IPCC Climate Model Predictions](#)

[Hansen's Global Climate Model In Total Fail: Predicted Ocean Heat Goes Missing](#)

[Southern Africa: Prediction That Global Warming Would Cause Less Rainfall Is Proven Empirically Wrong](#)

[Himalayan Glaciers Stable Since 1992 Despite Large Human CO2 Emissions, Scientists Determine](#)

[The Global Warming Threat Continues Its Retreat: Feeble "Warming" of Oceans Was Not Predicted By IPCC](#)

[Experts Discover That Tropical Fish Can Survive Significant Temperature Increases, Contrary To Consensus Science](#)

[A Consensus: U.S. Scientists Discover Another Major Climate Model Flaw - Past Model Predictions Are Incorrect](#)

[135 Years of Climate Change In India: No Change In Rainfall, Despite IPCC Prediction of A Severe Decrease](#)

[Consensus of Idiots: "Global Warming Will Cause Cascade Mtns. Snowpack To Decline" - Wrong, Twice](#)

[Ocean Acidification Will Not Endanger Antarctic Species, Scientists Discover](#)

[The NASA Climate Model Developed By Hansen Continues To Wildly Overestimate Global Warming](#)

[Another Wrong IPCC Prediction: Major Atlantic Ocean Current Will Likely Slow Due To Greenland Ice Melting](#)

[Researchers Pinpoint Why IPCC Climate Models Fail At Winter Precipitation Predictions: Atlantic Multidecadal Oscillation](#)

[Peer-Reviewed Study Documents That Climate Model Overheats Earth By 70% Since 1850](#)

[New Peer-Reviewed Study Reveals Why Climate Models Are Lousy At Predicting Minimum Temperatures](#)

[U.S. Ocean Experts Confirm Rapid Decline In Sea Level Increases Over Last Decade](#)

[Latest Peer-Reviewed Research: Global Warming & Ocean Acidification Help Florida Coral Reefs Grow](#)

[Chinese Scientists Find That IPCC Predicted Extreme Rain Events Are Not Happening With Greater Frequency](#)

[New Research Out of Greenland Proves Stability of Ice Sheet Over The Last 2 Decades](#)

[Latest Water Vapor Evidence Confirms IPCC Climate Models Are Wrong, Global Warming Hypothesis Opposite of Reality](#)

[IPCC's Flood Predictions Found To Be Without Scientific Merit: Major Flooding Appears To Be Declining, Not Increasing](#)

[IPCC Predicted Warming Would Cause Greater Rainfall: Indian Scientists Determine Models Are Wrong](#)

[Newest Empirical Evidence: Coral Reefs Survive A Moronic Prediction By Green Alarmists](#)

[New Satellite Measurements Confirm That Sea Levels Are Not Accelerating Higher As Predicted](#)

[Another IPCC Prediction Failure: Infrared Radiation That Warms Earth Is Doing Opposite of Model Predictions](#)

[The UN's & IPCC RefugeeGate: 50 Million Climate Refugees By 2010 Is Classic, Outlandish Bogosity](#)

[Per New Australian Research, Sea Level Increases Are Decelerating, Not Accelerating As Predicted](#)

[IPCC Climate Scientists Predicted Less Snow, Less Vegetation & Bigger Deserts - China's Climate Does Opposite](#)

[Scientists Test IPCC Climate Models' Projections of Cyclone Activity Versus Reality: Models Fail, Again](#)

[California Mountain Snowfall: Climate Scientists Confirm IPCC "Consensus" Climate Models Are Wrong](#)

[New Climate Research Supports Scientific, Non-Consensus Stance On Global Warming's Impact](#)

[Scientists Discover That Actual Sea Levels Are Doing Opposite of IPCC Model Predictions](#)

[Empirical Evidence From Japan Refutes Climate Model Precipitation Predictions](#)

[NASA's Climate Model Failure: Reality-Based Data Confirm The Inaccurate Predictions of Climate Simulations](#)

[Climate Models Fail Stupendously At Predicting Ocean Warming, New Data Shows](#)

[Peer-Reviewed Study Finds That CO2-Induced Warming Causes Atmosphere To Hold Less Water Vapor](#)

[New Finnish Research Confirms Global Warming Does Not Lead To More Floods, nor Droughts](#)

[9-Year Study Proves Global Warming Helps Frogs Survive, Opposite of Alarmist Predictions](#)

[NOAA Clearly Documents The Massive Failure of Climate Models - Will They Ever Work?](#)

[Prediction That Coral Reefs Will Decline Due To Global Warming Is Wrong Experts Conclude](#)

[IPCC Prediction That Global Warming Will Cause Flooding Is Wrong, Peer-Reviewed Study Finds](#)

[Another Failed IPCC Climate Prediction: Vegetation Growth Does Exact Opposite What Models & "Experts" Predicted](#)

[Latest Research From EU Finds IPCC Predictions of 'Ice-Free' Arctic To Be Bogus Alarmism](#)

[Newest Malaria Research Out of Africa: Global Warming Has No Impact On Spread of Malaria](#)

[The Internationally-Operated 'Argo' Ocean Measurement System Confirms Significant Cooling of Major Ocean Areas](#)

[UN's IPCC Climate Models' Predictions of Rainfall Completely Wrong: Study Finds Models Show "Little Relevance"](#)

[Hawaii's Extreme Weather Events: The Exact Opposite of The UN's IPCC "Expert" Predictions](#)

[Marine Biology Experts Find That Warming & "Acidification" Have Zero Impact On Coastal Species](#)

[New Empirical Evidence Indicates Methane Gas "Tipping Point" Is Actually Bogus AGW-Alarmism](#)

[The 'Journal of Climate': IPCC Prediction That Warming Causes More Tropical Cyclones Is Wrong - Australian Data Reveals](#)

[Do Alaska's Crabs Really Prefer Global Warming? You Betcha!, Say Peer-Reviewed Experts](#)

[World's Oldest Temperature Record: No Significant Warming Since 1995, Cooling Instead](#)

[The Idiocy of Hansen Documented: Climate Science Buffoonery By A Taxpayer Funded Scientist](#)

[Climate Change Is Solar Caused: Latest Research Determines Sun Drives El Niño & La Niña Cycles](#)

[Another Failed AGW Prediction: Global Warming Has Not Caused More Mud & Debris Slides](#)

[Peer-Study Concludes That A Natural Negative Feedback Stopped Melting of Greenland's Glaciers](#)

[AGW Alarmists Predicted More & Bigger Hailstorms Because of Warming: Peer-Reviewed Study Proves Prediction Wrong](#)

[Hurricane/Cyclone Predictions From IPCC Climate Models Fail Spectacularly - Models Are Worthless](#)

[Spectacular Climate Model Failure: Latest Empirical Evidence Proves Models Still Can't Predict El Niño/La Niña Phases](#)

[Despite AGW Alarmist Claims, Avalanches Are Not Increasing Due To Climate Change, Peer-Research Finds](#)

[Newest Research Proves IPCC Climate Models Wrong: Global Warming Does Not Cause Increased Disaster Losses](#)

[Global Warming Causes Massive Drop In Death Rates, Opposite of IPCC Predictions, Peer-Reviewed Study Confirms](#)

[A Failed Climate Prediction Twofer: Global Warming Alarmists Get Both Droughts and Floods Wrong](#)

[160 Years of Empirical Evidence: Human CO2 Emissions Have Zero Impact On Hurricanes](#)

[Climate Alarmists Wrong Again As New Peer-Reviewed Study Finds Global Warming Increases Biodiversity](#)

[How Bogus Climate Science "Consensus" Cost Hurricane Insurance Consumers An Additional \\$82 Billion](#)

[IPCC Computer Models' Prediction That Warming Will Adversely Impact Food Crops Proven Wrong By Chinese Research](#)

[Scientists Discover Natural Negative Feedback Caused By Global Warming That Will Reduce Atmospheric Methane](#)

[Siberian-Arctic Tundra Thawing Creates Negative Feedback, Opposite of AGW Climate Model Predictions, Experts Find](#)

[Another Climate Model Failure: Models Fail To Predict Northern Hemisphere's Significant Wind Reduction](#)

[Will Global Warming Cause Species Extinctions? Latest Peer-Reviewed Research Confirms Species Will Survive, Easily](#)

[Peer-Reviewed Study: Climate Model Predictions of African River Flows Proven To Be Incorrect](#)

[NASA Funded Peer-Research: Global Warming Has Not Caused A Hurricane or Cyclone Increase](#)

[Peer Research From China: IPCC's Alarmist Claim of Global Decline of Snowpack Levels Found To Be Wrong](#)

[U.S. Cooling Continues At -8.3F/Century Rate: IPCC/NASA's Climate Model Warming Predictions Still Wrong](#)

[Peer-Reviewed Study Finds Peat Bogs Are A Climate Negative Feedback, Not Positive, As Gore Claimed](#)

[Will Global Warming Destroy U.S. Maple Syrup Industry? New Peer-Research Says 'No'](#)

["Global Warming" Flooding In Eastern U.S. Has Not Happened, Study Finds - Climate Change Predictions Wrong](#)

[Another Failed IPCC Prediction: Three Peer-Reviewed Studies Find Amazon Not At Risk From Higher CO2 Levels](#)

[The Findings of Three New Peer-Reviewed Studies: Coral Reef Damage From CO2-Warming Was Overblown Hype](#)

[UN & Leftist Politicians Claim Global Warming Has Increased Severe Weather Disasters: That's Not True For Tornados](#)

[What The Real Data Indicates: Length of Arctic Melt Season Shows No Global Warming Trend](#)

[A Very Simple Question: Has Huge Human CO2 Increase Caused More Severe Weather? A Simple Answer, Nope](#)

[Extreme Climate Events Since 1970: Data Reveals That Most U.S. Hurricanes Less Severe](#)

[Melting Predictions For Greenland & Antarctica Found To Be All Wet: Only Half What Climate Scientists Predicted](#)

[New Peer-Reviewed Study: IPCC's Ice Sheet Models Totally Wrong: Ice Sheet Loss Predictions Not Based On Reality](#)

[Climate Models' Drought of Accuracy Confirmed Again In Major Peer-Reviewed Study](#)

[Gulf Oil Spill: Newest Findings Reveal That "Expert" Environmental Disaster Predictions Were Disastrously Wrong](#)

[Wild Sea Level Predictions By Stefan Rahmstorf, The IPCC's Hysterical Sea Level Expert, Found To Be Wrong](#)

[Is Global Warming Drowning Islands of The Great Barrier Reef? Another Alarmist Prediction Gone Wrong Says Study](#)

[CO2-AGW Alarmist Science Hits Iceberg: Study Reveals Human CO2 Has Zero Impact On Antarctica Melting/Warming](#)

[Has Global Warming Caused More Mississippi River Floods As Predicted By Climate Models? Scientists Say, 'Nope'](#)

[Is Alarmist Claim That Global Warming Will Cause Bird Extinctions Bogus? Peer-Research Says YES](#)

[Can Big Govt & Obama Produce Energy Independence and "Clean" Energy? The Audacity of The Big Lie](#)

[Species Extinction? Mountain Rabbits Thrive & Multiply Despite Global Warming Scientists' Predictions](#)

[Scientists Determine Forest Fire Incidents Have Declined Over Last 100+ Years, Globally - New Peer-Reviewed Study Says](#)

[Latest Peer-Research: Global Warming Causes Malaria Regions of World To Shrink, Dramatically](#)

[What Damage Has Human CO2 Emissions Done To Coral Reefs? New Peer-Research Says 'Nada'](#)

[New Research Finds IPCC Prediction of Global Warming's Impact On Asia's Rivers Is Inaccurate & Overhyped](#)

[Peer-Reviewed Research Shows Shellfish Don't Suffer From Elevated CO2 Per The Alarmist Speculation](#)

[Memo To Senators: Pacific Islands Disappearing Due To Global Warming Revealed To Be Pure B.S.](#)

[The National Science Foundation Predictions For Solar Power? Totally Wrong, Like Most "Expert" Predictions](#)

[New Peer-Reviewed Research Challenges Climate Models: Since 2000, Ocean Temperatures Not Increasing](#)

[Memo To Senators: NASA's Climate Model Failures, or The Road To Political 'Toast'](#)

[Continue reading "Memo To Senators: NASA's Climate Model Failures, or The Road To Political 'Toast'" »](#)

[Iceland Volcano Keeps Providing Proof That Climate Models Are Worthless As Predictive Tools](#)

[Floods 10X More Likely During Global Cooling Periods Vs. Global Warming Periods, EU Scientists Discover](#)

[Climate Models Predict Significant Increase of River Discharge Volume Due To Global Warming: Scientists Discover The Models Are Wrong](#)

[Will Warm Oceans Destroy Ocean Reefs As Predicted? Tasmanian Evidence Refutes Predictions](#)

[EU Research Finds No Increase In Severe Storms - Contradicts AGW Model Predictions](#)

[The Computer Model Farce: Real-World Crisis Proves Models Are Policy Maker's Worst Nightmare](#)

[Latest Amazon Research: Droughts/Floods Due To Natural Cycles, Not Human CO2 As Predicted](#)

[Peer-Research Finds Major Climate Model Failures Regarding Arctic: Warming Is Natural, Not CO2 Caused](#)

[Total F.U.B.A.R. - Climate Scientists Admit That Both Global Warming Heat & CO2 Are Missing - They Can't Find Either](#)

[Great Lakes & Global Warming: Peer-Research Reveals Natural Climate Variability, Not AGW Predicted Impact](#)

[Bimbo Climate Alarmist Scientist, Who Threatened Meteorologists, Fails Badly With Her Climate Models](#)

[The Climate Model Snow Predictions Fiasco: 9 IPCC Climate Models Predicted Less Snow For Northern Hemisphere - Total Opposite of Reality](#)

[Latest Peer-Research: Global Warming Has Not Caused Increase In S. Hemisphere Cyclones - Model Predictions Wrong](#)

[AGW Severe Weather Prediction Wrong: China Hail Storm Frequency Declines During Global Warming](#)

[Climate Predictions: Does The UK Have The Dumbest Climate Scientists? Does That Explain The Overall Incompetence?](#)

[Despite The Predictions & "Hot" Rhetoric, The Evidence Shows Real Global Warming Is In Its Death Throes](#)

[Arctic Species Love The Global Warming: Populations Grew 16% Since 1970, Contrary To Consensus Predictions](#)

[Peer-Reviewed Research: Fewer Floods & Droughts During China's Medieval Warming Period](#)

[Peer Research Discovers The 'Shrub' Effect: Global Warming Won't Melt Tundra](#)

[Another Failed AGW Prediction: Global Warming Impact On S. Korea Droughts & Floods Is Nada](#)

[2009 Consensus Science: "Nothing Lives Under Antarctica Ice Sheet"; 2010 Consensus Science: "Oops, Never Mind"](#)

[Warming Tundra "Accelerates" The Release of Methane? Alaska Provides Evidence Countering That Prediction](#)

[Another Failed Prediction: Latest Peer-Research Finds Claims of Increased Mudslides Due To Global Warming Is Wrong](#)

[Tsunami Models, Significantly Less Complex Than Climate Models, Fail Miserably After Chile Quake - Predictions Wrong](#)

[Recent Study Indicates "Global Warming" Is Not Causing Tree Lines To Move As Predicted](#)

[Why Has AGW Theory Been Disproven? Based on Actual Scientific Method & Empirical Evidence, The Theory Is Simply False - It's Unable To Predict](#)

[While CO2 Continues Its Relentless Increase, The Great Barrier Reef's Health Improves Markedly - Despite Predictions](#)

[More Bogus Hurricane Predictions From "Experts" - Is It Time To Hold Experts Criminally Negligent For Promoting Fraudulent Predictions?](#)

[How Large Has The Global Warming Impact Been On The Amazon For The Last 7 Decades? Try Zilch Versus Idiotic Predictions](#)

[Will "Peer-Reviewed" Become Known As The "Science of Idiocracy"? Should Anyone Believe Scientists Any Longer? Prediction Idiocy](#)

[Does Human CO2 Cause An Increase In Droughts As IPCC Predictions Claim? Peer-Research Provides An Answer: No](#)

[Chinese Researchers Connect The Dots: Precipitation Variations Due To Solar Changes, Not CO2 As Predicted](#)

[NOAA Finally Admits That Climate Model Predictions Have Been Totally Wrong About Water Vapor: Instead of Increasing, It's Decreased By 10%](#)

[Another UN Agency & Its Model's Predictions Totally Botch The Science: WHO's Incompetence Rivals IPCC's](#)

[New Hurricane Model's Predictions May Even Be Worse Than Previous Hurricane Models: Another Xbox Simulation Failure?](#)

[Using Latest Technology, Experts Calculate That Sea Level Increase Rate At 6 Inches/Century In Contrast To Wild IPCC Predictions](#)

[More Bad News For Warming Alarmists & Model Predictions: Two New Studies Indicate That Droughts Less Likely](#)

[New Study: IPCC CO2-Based Climate Model Predictions Have Performed Miserably, Brookhaven Researchers Find](#)

[Computer Predictions: It's Not Only "Experts" of Climategate Who Are Being Investigated; Swine-Flugate Experts Will Get A 'Procto' Also](#)

[As Actual Evidence Mounts, IPCC & Model Predictions Appear To Have Been Totally Wrong: New Little Ice Age?](#)

[Did Global Warming Cause An Increase High Wind Storms As Predicted By Models? Peer-Research Says No](#)

[Methane Level Growth "Accelerating"? Fortunately, Climate Alarmists Wrong Again In 2009](#)

[Multiple Antarctica Peer-Reviewed Studies Confirm Sea Ice Growth Over Decades; Scientists Befuddled Why Climate Models Are Wrong](#)

[New Peer-Reviewed Studies Totally Debunk Alarmist "Predictions" That Global Warming Causes Increases In Severe Weather Activity](#)

[Has Past Global Warming Caused Increase of Infectious Diseases? Latest Peer-Research Says No](#)

[The Very Unsettled Science: Why Oceans Cooled In Recent Years Still Has Scientists Baffled; Cooling Contradicts Climate Models](#)

[Likelihood of Arctic Sea Soon Disappearing, Mr. Gore? Not Bloody Likely, As His Lord Monckton Might Say](#)

[Uh-Oh...Researchers Discover Fish of All Ages Like CO2-Induced Acidification...Another Alarmist Prediction 'Flounders'](#)

[Satellite Data: Theory That CO2 Causes Positive Water Vapor Feedback, Which Then Boosts Temperatures Seems Not To Work](#)

[Africa's Lake Victoria Basin's Climate Improved Over 20th Century Peer-Research Finds; Climate Scientists' Predictions Were Wrong](#)

[Copenhagen, Another Extraordinary Popular "Scientific" Delusion? There's Been 26 Before And All Were Wrong](#)

[New Research Refutes Climate Model CO2 Predictions: Oceans & Terrestrial Ecosystems Are Soaking Up CO2 Handily, Not The Atmosphere](#)

[Peer-Reviewed Research Finds That Coral Reef Records Disprove Climate Model Predictions](#)

[Analysis of Multiple Peer-Reviewed Studies: Global Ocean Warming Not Happening As Climate Models Predicted](#)

[The Climate Model Joke Continues: NCAR Climate Model Prediction Fails In Peer-Researched Study On Max/Min Daily Temperatures](#)

[Climate Alarmist Scientists Predicted More Hurricanes Due To "New" El Niño; For 2009, As Usual, Prediction Totally Wrong](#)

[Global Precipitation Research Project Reveals Fatal Water Vapor Flaw In Climate Models](#)

[Alarmist Scientists Claim Hay Fever & Asthma Will Increase Due To Global Warming: EU Peer-Reviewed Research Says, 'Wrong'](#)

[Major Temperature Study: Africa's Daily High Temps Stay Flat For 50+ Years; Africa Is Not Warming From Increased CO2 Levels](#)

[How Will Fish Survive Ocean Acidification? Swimmingly, As Peer-Reviewed Research Discovers](#)

[Global Warming Hysteria Fails Another Test: Recent Peer-Reviewed Studies Determine Severe Droughts Decline Over Last 40 years](#)

[Another Example of Why Public Radio & TV Can't Be Trusted On Global Warming Reporting](#)

[Multiple Peer-Reviewed Studies Confirm That Severe Flooding Has Not Increased Despite Warming Alarmist Claims](#)

[Global Warming & Swine Flu Similarities: "Major" Crises Fabricated By UN Politicians and Bureaucrats?](#)

[What's Revkin, Begley, Eilperin & Big MSM Outlets Have To Say About The 2009 Record Low Antarctic Ice Melt? Amazingly, Zilch](#)

[Climate Models Fail Major Consistency Test versus Arctic Climate: Peer-Reviewed Research Finds Arctic Predictions Unreliable](#)

[What Do Swine Flu & Global Warming Have In Common? "Expert" Government Predictions That Are Totally Worthless](#)

[Has "Unprecedented" Global Warming Caused Indian Ocean To Rise? Yes, And It Continues To Rise At 5 Inches/Century Rate!](#)

[Are Climate Models Worthless? IPCC Climate Models' Predictions of Methane \(CH₄\) Levels Totally Wrong](#)

[The Problem\(s\) With Climate Models: Top 50 Major Problems Causing All The Model Prediction Failures](#)

[New Peer-Reviewed Study: Extreme Global Warming Has Unleashed Incredible Sea Rise Past Century! Oops, Only 7 Inches](#)

[MSM Reporting Exposed As Sensationalist Hype: Ice Sheets Are Not Going To Collapse Into Oceans](#)

[Scientists Studying Ancient Climate Don't Understand Why Earth Warmed: "Gaps In Climate Knowledge"](#)

[As The Alps Warm, Plant Species Thrive & Expand Range; Predicted Species Extinction Not Happening](#)

[Climate Model Failure: Computer Predictions Wrong About Great Lakes' Water Levels - They're Increasing, Not Decreasing](#)

[Climate Modelers Are Still Clueless On Water Vapor: New Study Admits Almost Total Ignorance of Water Vapor Science](#)

[Peer-Reviewed Study On Ocean Heat Content Confirms Cessation of Global Warming: Both Atmosphere & Seas Not Warming](#)

[Will The Maldives Be Swamped From Rising Sea Levels As Virtual PC Simulation Prophecies? Research Says 'No'](#)

[Where Are The Hurricanes Caused By Global Warming? Predicted Hurricanes Not Happening](#)

[A N.S.S. Moment: "Scientists advocating for action are overselling the predictive capabilities of climate models"](#)

[The Failure of Climate Models: Their Predictions Embarrassingly Bad and Not Getting Better - Why?](#)

[Are Climate Modelers 'Stuck-On-Stupid'? CO2-Mania Blinds Them To The Obvious](#)

[Pigs Don't Fly & Climate Models Don't Lie: Oink! Top Climate Modeler Admits To Global Cooling Instead of Global Warming](#)

[High Tech Continues To Prove UN's Global Warming A Pseudo-Crisis: Satellites Find Global Temps Well Below IPCC Hype Level](#)

[How Bad are IPCC Climate Model Predictions? Horrendous: As In, 'Couldn't Hit The Side of A Barn' Horrendous](#)

[Large Uncertainty of Climate Model Predictions Due To Failure of Models to Deal With Aerosols Correctly, Experts Find](#)

[U.S. Temperatures Since 1900: Of Five Cool/Warm Periods, Climate Models Can Only Match One](#)

[Was Global 'Brightening' The Real Cause of Global Warming During 1980's & 90's? New Research Suggests CO2 Was Wrongly Blamed](#)

[IPCC Climate Model Global Temperature Predictions Are Likely To Be 6X Too High, A New Peer Reviewed Study Finds](#)

['Climate Models Don't Do Clouds' - Study Confirms That Models Fail To Represent Important Cloud Impacts On Temperatures Correctly](#)

[20th Century Droughts: Caused By Global Warming? Study of The 30 Major Droughts Shows All Were Part of Natural Climate Cycle](#)

[It Ain't Melting Soon: New Greenland Ice Sheet Study Finds Surface Mass Increased 63% From 1958 to 2008](#)

[Climate Experts' Prediction About Thawing Tundra Greenhouse Gas "Time-Bomb" Found To Be Wrong: Another Climate Model Error](#)

[UN IPCC & Alarmist Claims That Global Warming Threatens Amazon Is Without Merit, Research Finds - Another Wrong Prediction](#)

["Consensus" Prediction of Atmospheric Scientists In 2002 Proven Wrong A Few Years Later: Can They Predict Anything Correctly?](#)

[New MIT/NASA Research Finds That 100% of Climate Models Fail: \\$79 Billion Wasted By Climate Alarmist Scientists? Unfortunately, Yes](#)

[NOAA Experts' Scientific Prediction of Sea 'Dead Zone' Was Wildly Inflated; Policy Based On Computer Model Predictions Is Reckless](#)

[Global Warming Will Cause Millions of Deaths!: Another Past Example of Bogus "Peer Reviewed" Global Warming Science](#)

[Bangladesh Will Lose Land To Rising Seas Because of Global Warming! Oooops...Another Wrong IPCC Prediction](#)

[As RealClimate.org Scientists Admit Defeat This Week, Back In 2005 Real Scientists Were Already Documenting Weakness In CO2 Hypothesis](#)

[Standard Climate Alarmist Prediction: Global Warming Will Cause Desert Areas To Expand Causing Death & Destruction - Big Time Wrong, Again](#)

[Climate Models Can't Predict With Any Accuracy: Another Study Confirms The Dismal Record of Computer Climate Models](#)

[Climate Alarmist Scientists: 'Human CO2 Will Cause Slow Down of Ocean Conveyor Belt' - They're Wrong Again Research Shows](#)

[Climate Ice-Sheet Models Proven Wrong On Antarctica's Ice Sheets; "Global Warming" Has No Effect On Current Melt](#)

[Lest We Forget, Past Research Has Proven Climate Models Are Incapable of Credible Predictions](#)

[Are Maldives & Other Reef Islands Going To Slip Beneath Waves Due To Rising Seas? Latest Research Says 'No'](#)

[IPCC Projections of Ozone Pollutants So Out of Wack, It Poisons Results of Climate Model Research](#)

[Are Droughts Becoming More Intense & Longer? Study In Utah Shows Opposite Trend Than Predicted](#)

[Recent MIT Climate Modeling Hysteria About World Ending Is Debunked - Forecast Experts Say It's Unscientific](#)

[The Current Climate Observations Continue To Diverge From IPCC's Political, Lame, 2007 "Consensus"](#)

[Should Politicians Believe Climate Models That Predict 50 Years From Now? "Danger, Will Robinson! Danger!"](#)

[New, Enhanced Climate Model Finds Existing Models 180° Wrong About Positive Feedback - D'OH, It's Negative!](#)

[Have Climate Models Accurately Predicted Atmospheric Humidity, The Key To Water Vapor "Positive" Feedback?](#)

[How Do We Know All Global Warming Climate Models Are Fatally Wrong? The Inconvenient Atmosphere Temps](#)

[Climate Models Fail At Correctly Predicting Diurnal Trends; Issue Undercuts Validity of Models' Usefulness](#)

[Satellite Data & Research Finds World's Plant Life Enjoying Tremendous Growth Due To Better Environment](#)

[New Evidence That Obama Administration Using MIT's Climate Model Team For Economic Predictions](#)

[Climate Models Predict Drying of Soil Moisture, Thus Crop Failure: Ukraine Breadbasket Study Refutes Model](#)

[Computer Modeling: The Federal Fiasco Using Models To Predict Solar Cycles Exposes Danger of Faith In Models](#)

[Researchers Discover That Real World Precipitation Trends Are Not Consistent With Climate Model Predictions](#)

[2004: "Unprecedented" Growth In CO2; 2009: CO2 Growth "Accelerating" - Do The Alarmists Ever Stop The Hype?](#)

[U.S. Taxpayer Spends Billions On Climate Models Using Incorrect CO2 Levels - Cause of Bad Model Predictions?](#)

[Theory Says Global Warming Causes More Rainfall With Greater Variability - Just The Opposite In S. Europe](#)

[Climate Alarmist Models Require Constant Atmospheric Relative Humidity: Real Climate Proves This Wrong](#)

[Why Is It Global Warming Catastrophic Predictions Get Scarier When There's No More Global Warming?](#)

[Climate Models Wrong About Antarctic Ozone Hole - Resulting Climate Predictions Will Be Inaccurate, Again](#)

[Climate Alarmists Claim Ocean Acidification From CO2 Will Harm Marine Life: Evidence Shows Otherwise](#)

[Researchers Discover Arctic Was Likely Ice-Free In Recent Historical Past, Pre-Industrial CO2](#)

[The Climate Change Problem? "...tendency of scholars to protect their theories by building defences around them"](#)

[Climate Model Predicted Less Winter Precipitation Due To Less Arctic Ice: Found To Be Totally Wrong](#)

[How Have Climate Models Done Predicting Cloud Coverage? Not Too Well](#)

[Greenland Ice Sheet Has Natural 'Brakes' - Positive Feedback Model For Glaciers Proven False](#)

[Another Example of Climate Model Failure: Actual Ozone In Wealthy Countries Does Exact Opposite of Predictions](#)

[Scientific Consensus Is That Climate Models Have Failed Spectacularly - What Did They Fail At and Why?](#)

[Study of Rivers Discharge Demolishes Climate Model Predictions of More Precipitation Due To Global Warming](#)

[New Research Undercuts AGW Alarmist Predictions \(Again!\) - Will Democrats Still Push For Global Warming Tax?](#)

[Another Failed AGW Prediction: Great Lakes Should Be "Drying Up" Due To Global Warming - Not Happening](#)

[Global Warming & Forest Fires In Ontario - Lower Incidence In 20th Century: Another Failed AGW Prediction](#)

[Simply One of The Best Explanations \(Synopsis\) of Why The IPCC Computer Climate Models Are Abject Failures](#)

[Previous Examples of MSM Totally Ignoring Science That Refutes Global Warming Myths - Incompetence or Bias?](#)

[The Namib Desert Had It's Greatest Floods During Global Cooling Periods, Not During Global Warming Periods, As Predicted](#)

[Will Global Warming Bring More Intense & Variable Percipitation? Asian Research Points To Opposite](#)

[Does Global Warming Cause Flooding? Central European Study Says No \(Might Actually Reduce Flooding\)](#)

[New Research Confirms Antarctic Ice Expanding & Thickening;](#)

[Predicting Species Extinction Due To AGW Is Bogus Science Says Expert \(Constant 'Hype' Predictions Have No Basis\)](#)

[Real World Data Embarrasses Climate Model Scientists; Will They "Adjust" Real Data To Make Models Look Good?](#)

[U.S. Temps In 2008 Only A Hair Above Average, Since 1901 - CO2 Models Predicted Much Higher Temps](#)

[It Is Confirmed By New Satellite Data, Sea Levels Have Declined Over Recent Past - Predictions Wrong](#)

[Experts Determine Climate Models Overstate Antarctic Warming; Models Fail Due To Water Vapor & Ozone](#)

[Why Have IPCC Climate Models Failed At Drought Prediction? Soil Moisture Is The Root Cause of Failure](#)

[Study Finds Scientists' Prediction of Thames River Barrier Wrong; Climate Change Won't Overwhelm It In 2030](#)

[Climate Scientists Have Terrible Record of Predictions - Cut Them Some Slack, They Share Humiliation With Others](#)

[Why Have Climate Models Failed Miserably Regarding Antarctic? Hint: Water Vapor & Volcanoes](#)

[Climate Alarmist Scientists Predicted Atlantic Ocean Circulation Slowdown: Wrong, Again, Like Usual](#)

[Peer-reviewed Study: There Is Still No Atmospheric "Hotspot" As Required By AGW Theory; Climate Models Fail](#)

[Climate Models Rely On 'Positive Feedback' To Generate Warming But New Data Indicates 'Negative Feedback'](#)

[Expert Scientific Forecasters: "The IPCC's, forecasts, and recommendations based on them, should be ignored"](#)

[Climate Scientist: New Study Reveals IPCC Global Model Predictions Are "Seriously Flawed"](#)